

TUBERÍA PEAD GAS - NAG 140 - PE100

| Dn. | SDR | Espesor | Peso Kg/mt | BAR |
|------------|------------|----------------|-------------------|------------|
| 20 | 17,6 | | | 6 |
| | 11 | 2.0 | 0,118 | 10 |
| 25 | 17,6 | | | 6 |
| | 11 | 2.3 | 0,172 | 10 |
| 32 | 17,6 | | | 6 |
| | 11 | 3.0 | 0.280 | 10 |
| 40 | 17,6 | 2.3 | 0,286 | 6 |
| | 11 | 3.7 | 0,432 | 10 |
| 50 | 17,6 | 2.9 | 0,443 | 6 |
| | 11 | 4.6 | 0,669 | 10 |
| 63 | 17,6 | 3.6 | 0,691 | 6 |
| | 11 | 5.8 | 1,064 | 10 |
| 90 | 17,6 | 5.1 | 1,395 | 6 |
| | 11 | 8.2 | 2,155 | 10 |
| 110 | 17,6 | 6.3 | 2,105 | 6 |
| | 11 | 10.0 | 3,2 | 10 |
| 125 | 17,6 | 7.1 | 2,693 | 6 |
| | 11 | 11.4 | 4,158 | 10 |
| 180 | 17,6 | 10.2 | 5,576 | 6 |
| | 11 | 16.4 | 8,745 | 10 |
| 250 | 17,6 | 14.2 | 10,77 | 6 |
| | 11 | 22.7 | 16,84 | 10 |
| 280 | 17,6 | 15.9 | 13,48 | 6 |
| | 11 | 25.4 | 21,09 | 10 |
| 315 | 17,6 | 17.9 | 17,4 | 6 |
| | 11 | 28.6 | 26,74 | 10 |
| 355 | 17,6 | 20.1 | 22,06 | 6 |
| | 11 | 32.2 | 33,92 | 10 |
| 400 | 17,6 | 22.7 | 28,06 | 6 |
| | 11 | 36.3 | 43,08 | 10 |
| 450 | 17,6 | 25.5 | 35,43 | 6 |
| | 11 | 40.9 | 54,59 | 10 |
| 500 | 17,6 | 28.3 | 43,73 | 6 |
| | 11 | 45.4 | 67,34 | 10 |
| 560 | 17,6 | 31.7 | 54,88 | 6 |
| | 11 | 50.8 | 84,42 | 10 |
| 630 | 17,6 | 35.7 | 69,53 | 6 |
| | 11 | 57.2 | 106,9 | 10 |